

Table with 12 columns representing different categories (e.g., 男1-A, 男1-B) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 男2-D, 男2-E) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 男3-D, 男3-E) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 男4-B, 男4-C) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 女2-C, 女3-A) and rows listing participants with their names and affiliations.

Table with 3 columns representing different categories (e.g., 女4-A, 女4-B) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 混合1-A, 混合1-B) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 混合2-D, 混合2-E) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 混合3-E, 混合3-F) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 混合3-L, 混合3-M) and rows listing participants with their names and affiliations.

Table with 12 columns representing different categories (e.g., 混合4-B, 混合4-C) and rows listing participants with their names and affiliations.

